

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/038,757	57 01/02/2002		Paul Steven Marshall	481.1001CON2	7920
23280	7590	06/22/2004		EXAM	INER
		DSON & KAPPEI	KALINOWSKI, ALEXANDER G		
485 SEVEN NEW YORK		NUE, 14TH FLOOR		ART UNIT	PAPER NUMBER
MEW TORK	L , 111 11	0010		3626	

DATE MAILED: 06/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
•	10/038,757	MARSHALL, PAUL STEVEN					
Office Action Summary	Examiner	Art Unit					
	Alexander Kalinowski	3626					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period of the period for reply will, by statute to reply within the set or extended period for reply will, by statute than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	mely filed ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on <u>02 January 2002</u> .							
2a) ☐ This action is FINAL . 2b) ☑ This	This action is FINAL . 2b)⊠ This action is non-final.						
, ——	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) ☐ Claim(s) 85-115 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 85-115 is/are rejected. 7) ☐ Claim(s) is/are objected to.	wn from consideration.						
8) Claim(s) are subject to restriction and/o	r election requirement.						
9)☐ The specification is objected to by the Examine	er.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	•						
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	s have been received. Is have been received in Applica rity documents have been receiv u (PCT Rule 17.2(a)).	tion No red in this National Stage					
Attachment(s) 1) ☑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☑ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1/2/2002.	4) Interview Summar Paper No(s)/Mail D 5) Notice of Informal 6) Other:						

Page 2

Application/Control Number: 10/038,757

Art Unit: 3626

DETAILED ACTION

1. Claims 85-115 are presented for examination.

Remarks

2. The Examiner notes that on page 4, lines 2-5 of the specification, Applicant incorporates by reference the "WorldToolKit Reference Manual". The Applicant noted in the Information Disclosure Statement that a copy of the reference was filed in Application Serial Number 07/954,775. The Examiner reviewed Application Serial Number 07/954,775 and could not find a copy of the reference in the file. The Examiner respectfully requests that Applicant provide another copy of the "WorldToolKit Reference Manual" reference for the record.

Double Patenting

- 3. Claims 85-115 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-27 of U.S. Patent No. 5,675,746. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims in the instant application are broader than the claims in the '746 patent.
- 4. Claims 85-115 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-42 of U.S. Patent No. 5,774,878. Although the conflicting claims are not identical, they are not patentably

Application/Control Number: 10/038,757

Art Unit: 3626

distinct from each other because the claims in the instant application are broader than the claims in the '878 patent.

5. Claims 85-115 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-45 of U.S. Patent No. 6,073,115. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims in the instant application are broader than the claims in the '115 patent.

Conclusion

- 6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure
 - a. Pat. No. 5,268,998 discloses a system for visualizing objects in three dimensions.
 - b. Pat. No. 5,148,154 discloses a system for a multi dimensional interface for a user.
- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander Kalinowski, whose telephone number is (703) 305-2398. The examiner can normally be reached on Monday to Thursday from 9:00 AM to 6:30 PM. In addition, the examiner can be reached on alternate Fridays.

If any attempt to reached the examiner by telephone is unsuccessful, the examiner's supervisor, Joseph Thomas, can be reached on (703) 305-9588. The fax

Application/Control Number: 10/038,757

Art Unit: 3626

telephone number for this group is (703) 305-7687 (for official communications including After Final communications labeled "Box AF").

Hand delivered responses should be brought to Crystal Park 5, 2451 Crystal

Drive, Arlington, VA, 7th Floor, receptionist.

Alexander Kalinowski

Primary Examiner

Art Unit 3626

6/14/2004